ABEBA®

# OCCUPATIONAL SHOES

MADE FOR YOU



www.abeba.com

# Dear business partner, dear customer,

the basis of a high quality shoe is besides the technical expertise and know-how the passion for shoes. Understanding and respect for the person and his needs in everyday worklife are ABEBAs major motivation for the developement of safety and occupational shoes. By living this philosophy we create the difference: Perfect protection, a healthy foot climate and best wearing comfort for an every day use.

Our demand is to exceed your demands!

Our main focus is to offer the best quality products therefore we make the highest demands on the materials used and the most accurate way of manufacturing.

ABEBA is one of the largest and most modern shoe manufacturers in Europe with customers in more than 30 countries worldwide. With our German warehouse, our French subsidiary and our production facilities in several European countries we are always ready to meet your demands.

Since 1st of June 2007 ABEBA is part of the traditional Polish shoe manufacturer Protektor. The Protektor S.A. is listed at the Warsaw stock exchange.

ABEBA safety and occupational shoes are exclusively available at specialized dealers and distributors in worldwide more than 2.000 outlets with specially trained personnel.

Together with our European sales team we are happy to answer your questions about ABEBA and our products. We can assure you that we will find the best solution customized to your particular needs.

Thank you for the trust in our company!

Your ABEBA team

TÜV SAAR CERT ISO 9001

# CONTENT

## OCCUPATIONAL SHOES


14 **THE ORIGINAL**

24 **HIGH ORIGINAL**

26 **THE ORIGINAL PLUS**

28 **DYNAMIC**

36 **EASY**


### TECHNICAL INFORMATION


007 HACCP
008 - 011 ESD/CLIMATE CLASS 1
012 - 013 MOBILE AND ACTIVE WITH ABEBA
108 - 111 STANDARDS/TECHNOLOGY



**Imprint**

Editor:
ABEBA Spezialschuh-Ausstatter GmbH
Schlackenbergstrasse 5
D-66386 St. Ingbert
Tel: +49 6894 3103-100
Fax: +49 6894 3074
E-Mail: abeba@abeba.de
www.abeba.com

Editorial Team:
ABEBA Sales and Marketing

Layout:
ABEBA Marketing and Sales

Idea and concept:
blickfang marken- und designagentur GmbH

Photography:
Fandel Foto & Design


Our sales documents are also available in German and French.


We reserve the right to modify models, colours and technical details as well as the right to make a compensation or subsequent delivery. Printed on environmentally friendly paper.

40 **RUBBER**

46 **ARROW**

52 **NATURE**

56 **AIR CUSHION**

60 **LIGHT**

68 **UNI6**

80 **REFLEXOR**

86 **REFLEXOR COMFORT**

90 **SERVICE**

92 **MANAGER**

94 **BUSINESS LADY**

96 **BUSINESS MEN**

98 **CLEAN ROOM**

100 **AUTOCLAVABLE**

# # ACCESSORIES

104 **INSOLES**

110 **INDEX**

# KITCHENS AND FOOD INDUSTRY

## _HACCP

HACCP – Hazard Analysis Critical Control Points – is a monitoring system using risk analysis. This serves to identify, assess and combat major health risks caused by foodstuffs. In the production, treatment and processing of foodstuffs, all possible effects which might cause health problems by eating such food must be eliminated from the very beginning.
More information is available on your local HACCP website.
ABEBA Shoes are manufactured using only materials fully certified and approved by us. With this comprehensive qualityassurance, we guarantee that no materials susceptible to bacterial infection are used.
Ask our trained personnel and specialist dealers for the correct footwear for your needs. Please ask us for any support.

We are prepared!
Numerous styles have already been microbiologically tested by the Test and Research Institute Pirmasens (PFI) and have been certified according to Baumgart (HACCP-compliant).
Please refer to all shoes marked with the „A-micro“ and „HACCP-compliant“ icon.

**HACCP - HAZARD ANALYSIS CRITICAL CONTROL POINTS**

**1.** Conduct a Hazard Analysis
**2.** Identify the Critical Control Points (CCPs)
**3.** Establish Critical Limits
**4.** Monitor CCPs
**5.** Establish Corrective Plan
**6.** Verification of the system
**7.** Record keeping

# ESD ELECTROSTATIC DISCHARGE

Electrostatic Discharge (ESD) means the compensation of big differences in potential that causes high voltage pulses. This voltage pulse can cause damages or even destroy electronic components.
Potential differences often result from friction or contact and separation of items. By this a human can be charged up to 30.000 Volts. The electrostatic discharge can only be felt by a person from 2.000 Volt on as a small electric shock. However electrostatic sensitive devices can be harmed by a blocking voltage of 5 – 30 V. Therefore while working with electrostatic sensitive devices actions have to be taken to reduce electrical charges reliable and prevent the occurrence of quick discharge.

Actions against static discharge are described in the EN 61340-5-1 standard. An effective grounding of persons by using ESD footwear serves to protect sensitive devices by frequently discharging the human body.

ESD shoes are made to discharge the electrostatic charge through the ground to the earth potential. The resistance of the system Person-Shoe-Ground shall be below 35 MOhm according to EN 61340-5-1 (verification). The qualification of the ESD footwear according to EN 61340-4-3 is measured in relation to the climate class 1 (12% RH), 2 (25% RH) and 3 (50% RH).

According to EN 61340-4-3 the shoe is preconditioned adequately and measured filled with a defined quantity of metal balls on a metal plate. Here the resistance shall be below 100 MOhm.

In practice the discharge capacity of ESD footwear is not only highly depending on the climatic environment (humidity and temperature) but also on factors like contamination and condition of the flooring as well as the electrical resistance of the person's body. ESD representatives of a company have to check frequently if the implemented ESD products still work in a proper way. Where ESD footwear is worn the resistance of the flooring should not influence the functionality of the ESD shoes. The implementation of "walking tests" helps to validate the functionality of the system Person-Shoe-Flooring.

**WARNING:** : ESD shoes are not suitable for electricians or while working on sources with any electric voltage.



# DEFINITION

ESD - Electrostatic Discharge
Electrostatic discharge is caused by an imbalance of potential on charged objects or people by contact or close proximity.

ESDS
Electrostatic Discharge Sensitive Device

EPA
Electrostatic Protected Area
Area where sensitive devices can be handled directly with minimum risk of electrostatic damage.

Electrostatic charge
Is produced by frictional contact and separation of two materials.

Resistance to ground (Rg) EN 61340
Is the resistance from a surface or an item within an EPA, measured with a suitable ohmmeter and test probe.

Latent damage
Is the damage caused by ESD to sensitive devices, which has the effect of reducing components reliability without causing immediate failure.

ESD SUSCEPTIBLE
The symbol has been used since 1984 and denotes components and subassemblies that are ESD susceptible.

ESD PROTECTIVE
The symbol was introduced in addition to symbol No. 1 in 1993 and denotes ESD protective products such as antistatic mats, trucks, clothing, protective covering, cartons, materials, etc.

# INFORMATION

Electrical resistance and protection against electrostatic phenomenons. ESD-footwear as primary grounding in the system of person/ shoe/ floor




A and C: additional requirements of occupational- and safety shoes regarding electric property. R: electrical resistance. $R_g$: ground resistance.

For the daily function testing of the shoes the use of test stations has been established. There the resistance of person and shoe is measured. Attention should be paid to the separate measuring of the feet.

Resistance Terminology

| | | | |
|---|---|---|---|
| $10^3$ Ohm = | 0,001 MOhm | = | 1 kOhm |
| $10^4$ Ohm = | 0,01 MOhm | = | 10 kOhm |
| $10^5$ Ohm = | 0,1 MOhm | = | 100 kOhm |
| $10^6$ Ohm = | 1 MOhm | = | 1.000 kOhm |
| $10^7$ Ohm = | 10 MOhm | | |
| $10^8$ Ohm = | 100 MOhm | | |
| $10^9$ Ohm = | 1.000 MOhm | = | 1 GOhm |
| $10^{10}$ Ohm = | 10.000 MOhm | = | 10 GOhm |
| $10^{11}$ Ohm = | 100.000 MOhm | = | 100 GOhm |
| $10^{12}$ Ohm = | 1.000.000 MOhm | = | 1.000 GOhm |

# CLIMATE CLASS 1



# CLIMATE CLASS I

All ABEBA ESD shoes are certified in keeping with EN 61340-4-3, climate class 1.

The climate classes generally stand for the electrostatic behaviour of the shoes. The classification is based on electrical measurements performed under precisely defined conditions that we have listed for you in the table below.

| Climate class | Pre-treatment | Conditioning | Measurement |
|---|---|---|---|
| 1 | 96 (+10) h<br>(40 +/- 3) °C<br>RH < 15 % | 96 (+10) h<br>(23 +/- 2) ° C<br>(12 +/- 3) % RH | (23 +/- 2) °C<br>(12 +/-) 3 %<br>RH |
| 2 | | 96 (+10) h<br>(23 +/- 2) °C<br>(25 +/- 3) % RH | (23 +/- 2) °C<br>(25 +/- 3) %<br>RH |
| 3 | | 48 (+ 5) h<br>(23 +/- 2) °C<br>(50 +/- 5) % RH | (23 +/- 2) °C<br>(25 +/- 3) %<br>RH |

h = duration in hours, °C = temperature, % RH = relative humidity

The differences between the various climate classes 1, 2 and 3 are mainly based on the relative air humidity of the test environment, with the air humidity affecting the tested shoes‘ electrostatic discharge behaviour.

This is why shoes are tested in an environment with 50 % air humidity to establish their suitability for climate calls 3, and at an air humidity of 25 % for climate class 2. Inclusion in climate class 1 is achieved by successfully passing the test at 12% air humidity. All the tests are meanwhile applied at a temperature of 23°C.

As a general rule, the higher the air humidity is in the environment, the greater will the shoes‘ discharge capacity be.

Accordingly, a shoe certified as climate class 1 is best suited for discharging electrostatic charges to the earth ground potential. These shoes even possess the discharge capacity required to avoid electrostatic discharges in very low air humidity and with dry materials. All the other environmental factors capable of affecting electrostatic discharges, such as an insulating floor or insulating deposits on the outer soles of the shoes, should also be taken into account, however.

Climate class 1-certified shoes are not only urgently recommended in the environs of the chemical and electrical industries and handling of flammable liquids and gases, paints and varnishes, but also in classic areas with intensive dust pollution such as printing plants, mills, granaries or the wood-processing industries. Especially as these ESD shoes will help to minimize the risk of ignition by electrostatic discharge.

Technical rules for operational safety (TRBS 2153)
TRBS 2153 section 7.1 requires conductive shoes with a contact resistance under 100 megohm to be worn in areas at risk from explosions. Our shoes meet this requirement as per EN 61340-4-3 (test with metal balls in the shoe on a metal plate) and EN 61340-5-1 (test with person in the shoe on a metal plate).

In the qualification for climate class 1, the shoe is preconditioned in a climatic chamber (12% RH at 23°C) and needs to achieve a contact resistance below 100 megohm. This helps to ensure that the requirements of TRBS 2153 will even be met under difficult climatic conditions.

# WALKING TEST

Practical experience has shown that merely testing the shoes‘ contact resistances will not ensure adequate employee protection from accumulating excessive charges. We would additionally also recommend the ESD qualification walking test (as per EN 61340-4-5, limit < 100 V) for the shoe/floor-system in the areas concerned.

**The following aspects need to be considered with conductive shoes:**
- Effective person grounding is only possible in combination with conductive floors.
- Dirt in the outer sole or dust deposits can lead to an insulating layer.
- External climatic conditions (e.g. low air humidity) can have a negative effect on contact resistance.
- Orthopaedic insoles and orthopaedic designs must not impair the footwear‘s discharge capacity.

# MOBILE AND ACTIVE WITH ABEBA

## Our feet do the heavy lifting – every day

Healthy feet keep us mobile and in good spirits. Unfortunately this important part of the body often doesn't receive the attention it is due. Our feet play a vital role in our lives and are literally the foundation on which we stand. If the foundation starts to crumble it can affect the whole body: knee and hip problems, back- or even headaches can be the symptoms of badly manufactured shoes and the malposition that follows with them.

Especially in a working environment additional pressure is put on our feet. To support healthy feet and ensure mobility it is essential to create shoes that minimise work specific risks and at the same time reach our high standards of wearing comfort. If the mobility is reduced by injured feet, this in turn leads to a prolonged sick leave which affects both employee and employer.

What can ABEBA do to protect your feet in a working environment and to support their well-being?

**One thing is clear: Shoes have to fit!**

Anatomically optimised lasts in combination with different forms offer us the possibility to create shoes with high wearing comfort for virtually every foot shape.

**A high slip-resistance is a must!**

Special outsole design make for sure standing and this way minimise the risk of falling down through stumbling or slipping.

**What's on the inside counts, too!**

Replaceable insoles and breathable, antibacterial linings provide a good foot climate. On top of that, ABEBA insoles optimise the cushioning effect over the whole surface and if needed we can offer you some orthopaedic insoles (that will be made especially for your feet of course).

**Specialties make all the difference!**

As a special shoe designer ABEBA offers a multitude of unique accoutrements which are especially made for the different needs and requirements of the varying professions. We are for instance able to offer a great range of shoes that are HACCP compliant and therefore adhere to the strict requirements of the food industry.

"Enjoy walking" is our motto and incentive at the same time!

# 26

bones, 60 muscles, 33 joints
and 114 ligaments are forming one
of the most complex structure
of the human body,
the foot.



# 2.500

tons of weight are carried by the
feet every day (person of 70 kilo).
This corresponds to the weight
of 5 passenger trains.

the ORIGINAL
Sanitized
Actifresh

# THE ORIGINAL

## THE CLOG THAT CONVINCES

An all-rounder for the highest demands in quality, comfort and design, which won‘t let you down on difficult floors thanks to its high slip resistance.

Whether conventional, colourful or with smart design the Original is always the right choice for work or leisure time. Every buckle is corrosion-resistant and nickel-free.

WWW.ABEBA.COM




## HIGHLIGHTS

- Sanitized® treated

## TECHNOLOGY

**HEEL STRAP**
adjustable, foldable

**PERFORATION**
for good ventilation

## OUTSOLE

**1_SRC slip resistance**
according to EN ISO 20347:2012

**2_Resistant**
to animal fats, oil and fuel

**3_Cross/circle profile**

OB micro **77021**

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber white | insole microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

OB micro **77031**

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber black | insole microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

OB micro **77030**

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber black, perforated | insole microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

OB micro **77020**

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber white, perforated | insole microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

OB

## 7021

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-47 | smooth leather white | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB

## 7031

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-47 | smooth leather black | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB

## 7204

CE, EN ISO 20347:2012 OB, A, FO, SRC - **DISCONTINUED**
Size 35-47 | smooth leather white with pattern | insole leather | heel strap foldable, adjustable | heel cushion | slip-resistant outsole

OB

## 7020

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-47 | smooth leather white, perforated | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB

## 7205

CE, EN ISO 20347:2012 OB, A, FO, SRC - **DISCONTINUED**
Size 35-47 | smooth leather white with pattern | insole leather | heel strap foldable, adjustable | heel cushion | slip-resistant outsole

OB

## 7030

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-47 | smooth leather black, perforated | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB **antistatic** **5013**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-47 | smooth leather white | heel patch leather | heel strap foldable, adjustable | slip-resistant outsole

OB **antistatic** **5081**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-43 | smooth leather white/mint | heel patch leather | heel strap foldable, adjustable | slip-resistant outsole

OB **7091**

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-43 | smooth leather mint/white | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB **7081**

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-43 | smooth leather blue/white | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB **antistatic** **5007**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-47 | smooth leather white, perforated | heel patch leather | heel strap foldable, adjustable | slip-resistant outsole

OB **antistatic** **5080**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-43 | smooth leather white/mint, perforated | heel patch leather | heel strap foldable, adjustable | slip-resistant outsole

OB **7090**

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-43 | smooth leather mint/white, perforated | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB **7080**

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-43 | smooth leather blue/white, perforated | insole leather | heel strap foldable, adjustable | slip-resistant outsole

OB

## 7201

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-47 | smooth leather white/black with pattern | insole leather | heel strap foldable, adjustable | heel cushion | slip-resistant outsole

OB

## 7050

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-47 | smooth leather white | insole leather | instep strap adjustable | slip-resistant outsole

OB

## 7209

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-47 | smooth leather black | insole leather | heel strap non-foldable, removable | instep strap adjustable | lining extremely soft microfiber with silver ions | heel cushion | slip-resistant outsole

OB

## 7208

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-47 | smooth leather white | insole leather | heel strap non-foldable, removable | instep strap adjustable | lining extremely soft microfiber with silver ions | heel cushion | slip-resistant outsole

high ORIGINAL

Sanitized Actifresh

OB **7009**

OB ESD **5009**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | smooth leather black, perforated | heel patch leather | heel strap foldable, adjustable | wedge heel 45 mm | narrow fit | slip-resistant PU outsole

OB **7008**

OB ESD **5008**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | smooth leather white, perforated | heel patch leather | heel strap foldable, adjustable | wedge heel 45 mm | narrow fit | slip-resistant PU outsole

OB **7002**

OB ESD **5004**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | smooth leather white | heel patch leather | heel strap foldable, adjustable | wedge heel 45 mm | narrow fit | slip-resistant PU outsole

OB **7001**

OB ESD **5001**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | smooth leather white, perforated | heel patch leather | heel strap foldable, adjustable | wedge heel 45 mm | narrow fit | slip-resistant PU outsole




A® micro

ESD

## HIGHLIGHTS

- A-micro
- Sanitized® treated

## OUTSOLE

**1_Antistatic/ESD dissipative**
according to EN 61340,
climate class 1

**2_SRC slip resistance**
according to EN ISO 20347:2012

**3_TPU sole**
abrasion resistant

**4_Resistant**
to animal fats, oil and fuel

OB micro **7521**

OB ESD micro **37521**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | microfiber white | heel patch microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

OB micro **7531**

OB ESD micro **37531**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | microfiber black | heel patch microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

OB micro **7530**

OB ESD micro **37530**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | microfiber black, perforated | heel patch microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

OB micro **7520**

OB ESD micro **37520**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | microfiber white, perforated | heel patch microfiber | heel strap foldable, adjustable | slip-resistant TPU outsole

30°

# DYNAMIC

# DYNAMIC

## ATHLETIC DESIGN WITH LIFESTYLE

The ABEBA „Dynamic“ range sets standards for innovative designs and perfect wearing comfort, supported by our replaceable „acc Wave“ insole.

The natural shape of the lasts conveys a sort of barefoot feeling and offers a stable foothold supported by the anatomically formed insole with a moulded heel area. Several flexing zones on the outsole support the bending performance and ensure your feet to roll off properly.

The styles of the „Dynamic“ range exceed the requirements of the standards with innovative, tough upper materials and the technology of the ESD-compliant TPU outsole with its amazing slip resistance.

WWW.ABEBA.COM

## HIGHLIGHTS

- Sanitized® treated

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**CLIMATE CLASS 1**
accorting to EN 61340-4-3

## OUTSOLE

**1_SRC slip resistance**
according to EN ISO 20347:2012

**2_TPU sole**
abrasion resistant

**3_Resistant**
to animal fats, oil and fuel

**4_Flexing zones**
walking comfort

## INSOLE

**REPLACEABLE ACC WAVE (AIR CLIMA COMFORT)**
art. 3574,
for more information see notes on page 104

**SOFT COMFORT (OPTIONAL INSOLE)**
Art. 351012 = M
for more information see notes on page 104

OB **7310**

OB ESD **37310**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB **7313**

OB ESD **37313**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/red with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB **7312**

OB ESD **37312**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/blue with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB **7315**

OB ESD **37315**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather black/brown with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

NEW

OB micro **7320**

OB ESD micro **37320**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | microfiber white with pattern | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

30° HACCP

NEW

OB **7325**

OB ESD **37325**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | knitted textile white | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7335**

OB ESD micro **37335**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber white/black | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7331**

OB ESD micro **37331**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black/blue | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7332**

OB ESD micro **37332**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black/red | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB ESD micro **37333**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black/yellow | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7345**

OB ESD micro **37345**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber white/black with **white breathable textile inlays** | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7341**

OB ESD micro **37341**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black/blue with **black breathable textile inlays** | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7342**

OB ESD micro **37342**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black/red with **black breathable textile inlays** | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB ESD micro **37343**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black/yellow with **black breathable textile inlays** | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7360**

OB ESD micro **37360**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

30° HACCP

OB micro **7361**

OB ESD micro **37361**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

30° HACCP

OB micro **7365**

OB ESD micro **37365**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber grey/black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7362**

OB ESD micro **37362**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber grey/blue | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7363**

OB ESD micro **37363**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber grey/red | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

OB micro **7366**

OB ESD micro **37366**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfiber grey/white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

# easy

# EASY

## FASHION FADES, ONLY STYLE REMAINS THE SAME.
(COCO CHANEL)

Broaden your horizon. The ABEBA „easy“ range proves that you don’t have to compromise your style at work. We can offer you an allround carefree package made out of wearing comfort, perfect fit, technology, functionality and design.
Our shoes support your poise by their innovative walking sole with special profile and high slip resistance while your feet experience a maximum comfort through naturally shaped lasts, flexing zones in the walking sole and replaceable „acc Wave“ insoles.

Try out and enjoy the ABEBA „easy“!

WWW.ABEBA.COM



M

## HIGHLIGHTS

- Sanitized® treated

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**CLIMATE CLASS 1**
accorting to EN 61340-4-3

## OUTSOLE

**1_SRC slip resistance**
according to EN ISO 20347:2012

**2_TPU sole**
abrasion resistant

**3_Resistant**
to animal fats, oil and fuel

**4_Flexing zones**
walking comfort

## INSOLE

**REPLACEABLE ACC WAVE (AIR CLIMA COMFORT)**
art. 3573,
for more information see notes on page 104

**SOFT COMFORT (OPTIONAL INSOLE)**
Art. 350912 = M
for more information see notes on page 104

OB **7630**

OB ESD **37630**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white, perforated | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole

OB **7631**

OB ESD **37631**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather black, perforated | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole

OB micro **7621**

OB ESD micro **37621**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | microfiber patent black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole

OB micro **7620**

OB ESD micro **37620**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | microfiber patent white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole

OB **7622**

OB ESD **37622**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/blue | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole

OB **7623**

OB ESD **37623**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | smooth leather white/red | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole

# rubber

# RUBBER

## THE CLOG WITH RUBBER SOLE

Are you familiar with the requirements for appropriate footwear?

Especially in working areas where aggressive cleaning agents attack common soles, you're on the safe side with „rubber". Its rubber sole features acid and base resistance and complies with the special rules to slip resistance on floors with ceramic tiles.

With its shock absorbing midsole and the anatomically shaped footbed as well as the leather insole, our rubber brings you through a hard working day easily.

WWW.ABEBA.COM







ESD

## HIGHLIGHTS

- Sanitized® treated
- Hexa4GRIP extreme slip resistance

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**HEEL STRAP**
adjustable and foldable

**HEEL STRAP**
fixed with adjustable fastening

**PERFORATION**
for good ventilation

## OUTSOLE

**1_SRC slip resistance**
according to EN ISO 20347:2012

**2_Rubber sole**
abrasion resistant

**3_Resistant**
to acid, base and fuel

**4_Cross/circle profile**
**or**
**Hexa4GRIP profile**

OB **9200**

OB ESD **5200**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white | insole or heel patch leather | heel strap foldable, adjustable | slip-resistant special rubber outsole

OB **9252**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black | insole leather | heel strap foldable, adjustable | slip-resistant special rubber outsole

OB **9250**

OB ESD **5250**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather navy blue | insole or heel patch leather | heel strap foldable, adjustable | slip-resistant special rubber outsole

OB **9300**

OB ESD **5300**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white, perforated | insole or heel patch leather | heel strap foldable, adjustable | slip-resistant special rubber outsole

OB **9310**

OB ESD **5310**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black, perforated | insole or heel patch leather | heel strap foldable, adjustable | slip-resistant special rubber outsole

OB **9100**

OB ESD **5100**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white | insole or heel patch leather | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant special rubber outsole

OB **9150**

OB ESD **5150**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather navy blue | insole or heel patch leather | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant special rubber outsole

OB **9110**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black | insole leather | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant special rubber outsole

OB micro **970111**

OB ESD micro **3970111**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | microfiber white | heel patch microfiber | midsole TPU | heel strap non foldable, adjustable | instep strap adjustable | **hexa4GRIP OUTSOLE**

OB micro **970119**

OB ESD micro **3970119**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | microfiber black | heel patch microfiber | midsole TPU | heel strap non foldable, adjustable | instep strap adjustable | **hexa4GRIP OUTSOLE**

Arrow

# ARROW

## THE CLOG WITH HIGH-END SOLE CONSTRUCTION

The shock absorbing PU-midsole guarantees an ideal balance of stability and cushioning effect. It protects your ligaments and joints even while standing or walking on a hard floor all day.

The walking sole has a high slip resistance and is abrasion-resistant thanks to its innovative tread pattern. A selection of premium upper materials as well as the variation of heel straps makes the „Arrow“ the first choice for catering, heelthcare and industry.

Our metal buckles and rivets are corrosion-resistant and nickel-free.

WWW.ABEBA.COM




## HIGHLIGHTS

- Up to size 51
- Wide fit
- Sanitized® treated

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**CLIMATE CLASS 1**
accorting to EN 61340-4-3

**HEEL STRAP**
adjustable and foldable

**HEEL STRAP**
fixed with adjustable fastening

**PERFORATION**
for good ventilation

## OUTSOLE

**1_SRA slip resistance**
according to EN ISO 20347:2012

**2_Double-layer PU-sole**
shock absorption

**or**

**3_Lightweight Mono-PU-sole**
shock absorption, lightweight

| | | |
|---|---|---|
| OB | Size 36-47 | **8320** |
| OB | Size 48-**51** | **8322** |
| OB ESD | Size 36-47 | **38320** |
| OB ESD | Size 48-**51** | **38322** |

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber white, perforated | heel patch microfiber | heel strap foldable, adjustable | lightweight Mono-PU-outsole

30° micro

| | | |
|---|---|---|
| OB | Size 36-47 | **8330** |
| OB | Size 48-**51** | **8332** |
| OB ESD | Size 36-47 | **38330** |
| OB ESD | Size 48-**51** | **38332** |

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber black, perforated | heel patch microfiber | heel strap foldable, adjustable | lightweight Mono-PU-outsole

30° micro

| | | |
|---|---|---|
| OB | Size 36-47 | **8300** |
| OB | Size 48-**51** | **8302** |
| OB ESD | Size 36-47 | **38300** |
| OB ESD | Size 48-**51** | **38302** |

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber white | heel patch microfiber | heel strap foldable, adjustable | lightweight Mono-PU-outsole

30° HACCP micro

| | | |
|---|---|---|
| OB | Size 36-47 | **8310** |
| OB | Size 48-**51** | **8312** |
| OB ESD | Size 36-47 | **38310** |
| OB ESD | Size 48-**51** | **38312** |

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber black | heel patch microfiber | heel strap foldable, adjustable | lightweight Mono-PU-outsole

30° HACCP micro

| | | |
|---|---|---|
| OB | Size 36-47 | **8200** |
| OB | Size 48-**51** | **8202** |
| OB ESD | Size 36-47 | **38200** |
| OB ESD | Size 48-**51** | **38202** |

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | slip-resistant PU outsole

| | | |
|---|---|---|
| OB | Size 36-47 | **8210** |
| OB | Size 48-**51** | **8212** |
| OB ESD | Size 36-47 | **38210** |
| OB ESD | Size 48-**51** | **38212** |

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather black | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | slip-resistant PU outsole

| | | |
|---|---|---|
| OB ESD | Size 36-47 | **35600** |
| OB ESD | Size 48-**51** | **35602** |

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white, perforated | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | slip-resistant PU outsole

OB — Size 36-47 — **8600**

OB — Size 48-**51** — **8602**

OB ESD — Size 36-47 — **38600**

OB ESD — Size 48-**51** — **38602**

CE, EN ISO 20347:2012 OB, A, FO, SRA
smooth leather white, perforated | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | padded instep with elastic band | slip-resistant PU outsole

OB — **8400**

OB ESD — **38400**

CE, EN ISO 20347:2012 OB, A, FO, SRA
Size 36-47 | smooth leather white | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant PU outsole

# NATURE

# NATURE

## MULES AND CLOGS WITH CORK FOOTBED

The footbeds of the ABEBA „Nature“ range are characterised by high-value raw materials: natural cork and top quality natural latex allow the wearer to enjoy exceptionally high comfort, flexibility and an optimized cushioning effect.

Deep heel cup, cross support of the arch, inner and outer length support, toe grip and the footbed edging result in excellent footing, promoting the natural standing position and facilitate to roll your feet from heel to toe. Your bodyweight is dispersed on the entire foot due to the anatomical shape of the footbed. The first class leather covering is especially skin-friendly and humidity absorbing. We take care of your safety as well as your comfort needs. The slip resistant walking sole made from special rubber features acid and base resistance as well as resistance to oil and fuel.

Feel naturally comfortable

WWW.ABEBA.COM







## HIGHLIGHTS

- Cork footbed, leather covered
- Sanitized® treated

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**CLIMATE CLASS 1**
accorting to EN 61340-4-3

**HEEL STRAP**
fixed with adjustable fastening

**PERFORATION**
for good ventilation

## OUTSOLE

**1_SRC slip resistance**
according to EN ISO 20347:2012

**2_Rubber sole**
abrasion resistant

**3_Resistant**
to acid, base and fuel

## CORK FOOTBED

**1_Skin-friendly**

**2_Moisture absorbing**

**3_Toe grip**

**4_Shock absorbing**

OB **8040**

OB ESD **4040**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather white | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant special rubber outsole

OB **8045**

OB ESD **4055**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather black | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant special rubber outsole

OB ESD **4045**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather dark blue, perforated | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant special rubber outsole

OB ESD **4050**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather white, perforated | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant special rubber outsole

OB ESD

## 4085

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather black | 2 instep straps, adjustable | velcro fastening | slip-resistant special rubber outsole

OB ESD

## 4080

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather white | 2 instep straps, adjustable | velcro fastening | slip-resistant special rubber outsole

OB ESD

## 4090

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather white | heel strap non-foldable, adjustable | 2 instep straps, adjustable | velcro fastening | slip-resistant special rubber outsole

OB ESD

## 4096

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | velour leather ocean | heel strap non-foldable, adjustable | 2 instep straps, adjustable | buckle fastening | slip-resistant special rubber outsole

OB ESD

## 4086

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | velour leather ocean | 2 instep straps, adjustable | buckle fastening | slip-resistant special rubber outsole

air cushion
Sanitized
Actifresh

# AIR CUSHION

## TRENDY RETRO STYLE ON AN EXTREMELY LIGHT SOLE

With the „air cushion“ range we proof that occupational shoes are not only functional and comply to the standards, they also convince with their stylish appearence.

With this range, we focus on safety as well as wearing comfort. The shoe is exceptionally light thanks to the permanently elastic softfoam of the slip resistant PU walking sole. A comfortable fit and an anatomically shaped insole gets you through the day stress-free.

The processing of high quality leather and lining materials paired with contemporary design brings out our quality standards.

WWW.ABEBA.COM

## HIGHLIGHTS

- Lining microfiber, breathable, moisture absorbing
- Replaceable insole
- Extremly light
- Sanitized® treated

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**CLIMATE CLASS 1**
accorting to EN 61340-4-3

## OUTSOLE

**1_SRA slip resistance**
according to ISO 20347:2012

**2_Air cushion PU-sole**
shock absorption

**3_Resistant**
to fuel

**4_Extremly light sole**
wearing comfort

## INSOLE

**REPLACEABLE INSOLE**
art. 3551,
for more information see notes on page 105

01 ESD **32300**

CE, EN ISO 20347:2012 O1, SRA
Size 35-47 | grained leather white, perforated | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole

01 ESD **32310**

CE, EN ISO 20347:2012 O1, SRA
Size 39-47 | grained leather black, perforated | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole

02 **2710**

02 ESD **32710**

CE, EN ISO 20347:2012 O2, SRA
Size 39-47 | grained leather black | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole

02 **2700**

02 ESD **32700**

CE, EN ISO 20347:2012 O2, SRA
Size 39-47 | grained leather white | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole

01 micro **2370**

01 micro **32370**

CE, EN ISO 20347:2012 O1, SRA
Size 35-47 | microfiber white | instep area with elastic band | integrated footbed | decontaminable | slip-resistant PU outsole

02 **2650**

02 **32650**

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather black | lining with silver ions | replaceable insole (art. 3551) | slip-resistant PU outsole

02 **2610**

02 **32610**

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather black | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole

02 **2600**

02 **32600**

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather white | lining microfiber, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole

light
Sanitized
Actifresh

# LIGHT

## THE RIGHT CHOICE

With the „light“ range we offer the right occupational shoe for everyone who emphasises on technically sophisticated footwear and makes no compromises between quality, comfort and visual appearance.

Thanks to the characteristic PU sole the shoe is light and flexible but also sturdy and the build in shock absorber provides an ideal cushioning effect. With this range we have developed a shoe with a moderate heel gradient which relieves strains on joints, heel and back muscles. Our uniquely designed replaceable insoles offer a high wearing comfort.

We equipped the models with a special lining: Silverpoint provides an antibacterial protection by built in silver ions with an odor reducing and moisture absorbing effect.

Technology on „light“ soles.

WWW.ABEBA.COM

ESD

## HIGHLIGHTS

- Special lining, moisture absorbing with silver ions or Comfortemp®
- Sanitized® treated

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**CLIMATE CLASS 1**
accorting to EN 61340-4-3

## OUTSOLE

**1_SRA slip resistance**
according to EN ISO 20347:2012

**2_PU sole**
slip resistance, shock absorption, lightweight

**3_Resistant**
to fuel

**4_Shock absorber**
cushioning

## INSOLES

**REPLACEABLE ACC WAVE (AIR CLIMA COMFORT)**
art. 3558 (open),
art. 3559 (closed),
for more information see notes on page 104

OB **1141**

OB ESD **31141**

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-48 | smooth leather white | lining with silver ions | heel strap foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole

OB **1142**

OB ESD **31142**

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-48 | smooth leather black | lining with silver ions | heel strap foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole

OB **1135**

OB ESD **31135**

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-48 | smooth leather black | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole

OB **1130**

OB ESD **31130**

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-48 | smooth leather white | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole

OB **1163**

OB ESD **31163**

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-43 | smooth leather white/light blue | lining with silver ions | heel strap non-foldable, adjustable | instep area with lacing | reflective stripes | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole

OB **1160**

OB ESD **31160**

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-43 | smooth leather white/red | lining with silver ions | heel strap non-foldable, adjustable | instep area with lacing | reflective stripes | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole

01 **1136**

01 ESD **31136**

CE, EN ISO 20347:2012 O1, FO, SRA
Size 35-48 | smooth leather black with grey **breathable textile inlays** | lining with silver ions | double velcro fastening | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

01 **1131**

01 ESD **31131**

CE, EN ISO 20347:2012 O1, FO, SRA
Size 35-48 | smooth leather white with grey **breathable textile inlays** | lining with silver ions | double velcro fastening | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

**LIGHT**

01 **1158**

01 ESD **31158**

CE, EN ISO 20347:2012 O1, FO, SRA
Size 35-48 | smooth leather white with **breathable textile inlays** | lining with silver ions | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



01 **1120**

01 ESD **31120**

CE, EN ISO 20347:2012 O1, FO, SRA
Size 35-48 | smooth leather white, perforated | lining with silver ions | double velcro fastening | reflective stripes | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02

## 1151

02 ESD

## 31151

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather white | temperature regulating lining **Comfortemp®** with mPCM-Technology | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02

## 1137

02 ESD

## 31137

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02

## 1132

02 ESD

## 31132

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02 micro **1128**

02 ESD micro **31128**

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfiber white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02 micro **1129**

02 ESD micro **31129**

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfiber black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02 **1133**

02 ESD **31133**

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02 **1138**

02 ESD **31138**

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

02 micro **1127**

02 ESD micro **31127**

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfiber black | lining with silver ions | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

HACCP

02 micro **1126**

02 ESD micro **31126**

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfiber white | lining with silver ions | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole

HACCP

uni6
Sanitized
Actifresh

# UNI6

## EXPERIENCE THE FUTURE

„Uni6“ combines design and technology to a perfect multifunctional shoe which is dedicated to the lifestyle of a sophisticated wearer by its sporty style, its excellent fit, by the choice of high-tech materials and a young and trendy sole design. For the design of the double layer outsole we took into account the most recent developments of work and sports medicine. The soft PU midsole ensures an even cushioning effect on the entire sole and the stabilization of the midfoot. The TPU outsole impresses technically by its ideal slip and abrasion resistance. Also for the upper we have chosen the most recent developments of materials. Hydrophobic leathers as well as a specific microfiber with breathable and at the same time water-repellent features are making these shoes especially suitable for wet areas. New innovative lining materials and the replaceable acc Wave insole ensure the best compensation of temperature and moisture for a perfect foot climate.

WWW.ABEBA.COM

## HIGHLIGHTS

- Special lining, breathable, moisture absorbing
- Soft PU midsole
- Sanitized® treated
- Width adjustment by Soft Comfort

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**CLIMATE CLASS 1**
accorting to EN 61340-4-3

## OUTSOLE

**1_SRC slip resistance**
according to EN ISO 20347:2012

**2_TPU sole**
abrasion resistant

**3_Resistant**
to animals fats, oil and fuel

**4_Flexing zones**
walking comfort

## INSOLES

**SOFT COMFORT**
Art. 350112 = M
for more information see notes on page 104

**REPLACEABLE ACC WAVE (AIR CLIMA COMFORT) (OPTIONAL INSOLE)**
art. 3575,
for more information see notes on page 104

**SOFT COMFORT (OPTIONAL INSOLE)**
Art. 350113 = S
Art. 350116 = W
for more information see notes on page 104

NEW

**01** **6724**

**01** **36724**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-43 | textile Paisley, water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

NEW

**02** **6728**

**02** **36728**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | textile black with pattern, water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

AVAILABLE in the 4th quarter 2018

**02** **6729**

**02** **36729**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | textile white with pattern, water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

NEW

02 micro **6766**

02 ESD micro **36766**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-43 | microfiber white with coloured lacing | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | **incl. white exchange laces** | slip-resistant TPU outsole

NEW

01 **6773**

01 ESD **36773**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | knitted textile blue | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

NEW

01 **6772**

01 ESD **36772**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | knitted textile white | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

01 micro **6795**

01 ESD micro **36795**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | microfiber white | lining microfiber, breathable, moisture absorbing | instep area with velcro fastening | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

30°

01 micro **6796**

01 ESD micro **36796**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | microfiber black | lining microfiber, breathable, moisture absorbing | instep area with velcro fastening | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

30°

02 micro **6740**

02 ESD micro **36740**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber white | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

30° HACCP

02 micro **6741**

02 ESD micro **36741**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber black | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

30° HACCP

01 **6760**

01 ESD **36760**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | functional leather white with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

02 **6761**

02 ESD **36761**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

01

## 6762

01 ESD

## 36762

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | functional leather blue with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

01

## 6763

01 ESD

## 36763

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | functional leather navy blue | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

## 370118

Set of shoelaces in three colours (red, blue and green) | length 80 cm for low shoes | exclusively available with model (3)6780

02 micro **6780**

02 ESD micro **36780**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber white | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

30° HACCP

02 micro **6781**

02 ESD micro **36781**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber black | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

30° HACCP

02 micro **6782**

02 ESD micro **36782**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber grey/blue | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

02 micro **6785**

02 ESD micro **36785**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber grey/black | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

02 micro **6783**

02 ESD micro **36783**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber grey/red | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

01

**6721**

01 ESD

**36721**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | velours black with **breathable textile inlays** | lining with silver ions | reflective stripes | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

01

**6731**

01 ESD

**36731**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | smooth leather black, **microperforated** | lining with silver ions | reflective stripes | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

02 **6771**

02 ESD **36771**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

01 **6701**

01 ESD **36701**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | velours black with **breathable textile inlays** | lining microfiber, breathable, moisture absorbing | reflective stripes | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

02 **6750**

02 ESD **36750**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather white | lining microfiber, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

02 **6751**

02 ESD **36751**

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather black | lining microfiber, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

# Reflexor

# REFLEXOR®

## THE SHOE FOR AMBITIOUS INDIVIDUALISTS

Our „Reflexor®“ styles are made exclusively with premium calf leather and microfiber lining. Their distinguishing charactaristic is the handmade high quality stitching.

The shoes on page 82 - 84 are even delivered with 2 replaceable footbeds. The active „Reflexor®“ Massage footbed stimulates the foots reflex zones by its knobs and enhances the blood circulation. You may also choose the smooth comfort footbed, covered with finest leather.

We also care about your safety. All „Reflexor®“ soles have got a medium heel with a wide step surface.

Your wellness at work.

WWW.ABEBA.COM

## HIGHLIGHTS

- Lining microfiber, breathable, moisture absorbing
- Massage active-footbed

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**HAND-SEWN SEAM**
for best walking comfort

## OUTSOLE

**1_SRB slip resistance**
according to EN ISO 20347:2012

**2_PU sole**
extremly light

**3_Resistant**
to fuel

## INSOLES

**REPLACEABLE REFLEXOR® INSOLES**

**1**_art. 3567 white, size 36-42,
art. 3568 anthracite, size 36-42

**2**_art. 3569 white, size 40-46,
art. 3570 anthracite, size 40-46

**3**_art. 3565 anthracite, size 36-42,
art. 3566 anthracite, size 40-46,
art. 3585 white, size 36-42,
art. 3586 white, size 40-46

for more information see notes on page 105

# REFLEXOR® MEN

01 **5700**

01 ESD **35700**

CE, EN ISO 20347:2012 O1, SRB
Size 40-46 | smooth leather white | lining microfiber, breathable, moisture absorbing | 2 replaceable Reflexor® insoles (art.rt. 3586/3569) | slip-resistant PU outsole

01 **5710**

01 ESD **35710**

CE, EN ISO 20347:2012 O1, SRB
Size 40-46 | smooth leather black | lining microfiber, breathable, moisture absorbing | 2 replaceable Reflexor® insoles (art. 3566/3570) | slip-resistant PU outsole

# REFLEXOR® LADIES

OB **6902**

OB ESD **36902**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-42 | smooth leather white | lining microfiber, breathable, moisture absorbing | triple velcro fastening | 2 replaceable Reflexor® insoles (art. 3585/3567) | slip-resistant PU outsole

OB **6912**

OB ESD **36912**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | triple velcro fastening | 2 replaceable Reflexor® insoles (art. 3565/3568) | slip-resistant PU outsole

OB **6903**

OB ESD **36903**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-42 | smooth leather white | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | instep area with elastic band | 2 replaceable Reflexor® insoles (art. 3585/3567) | slip-resistant PU outsole

OB **6913**

OB ESD **36913**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | instep area with elastic band | 2 replaceable Reflexor® insoles (art. 3565/3568) | slip-resistant PU outsole

01 **6910**

01 ESD **36910**

CE, EN ISO 20347:2012 O1, SRB
Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | 2 replaceable Reflexor® insoles (art. 3565/3568) | slip-resistant PU outsole

01 **6900**

01 ESD **36900**

CE, EN ISO 20347:2012 O1, SRB
Size 36-42 | smooth leather white | lining microfiber, breathable, moisture absorbing | 2 replaceable Reflexor® insoles (art. 3585/3567) | slip-resistant PU outsole

## 1094

## 31094

Size 36-42 | smooth leather white | lining microfiber, breathable, moisture absorbing | integrated Reflexor® massage footbed | slip-resistant PU outsole

## 1092

## 31092

Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | integrated Reflexor® massage footbed | slip-resistant PU outsole

## 1064

## 31064

Size 36-42 | smooth leather white/black | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep area with elastic band | integrated Reflexor® massage footbed | slip-resistant PU outsole

## 6610

## 36610

Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | instep strap adjustable | integrated Reflexor® massage footbed | slip-resistant PU outsole

Reflexor
COMFORT

# REFLEXOR® COMFORT

## HIGHLIGHTS

- Lining microfiber, breathable, moisture absorbing
- Comfort-width

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**HAND-SEWN SEAM**
for best walking comfort

## OUTSOLE

**1_SRB slip resistance**
according to EN ISO 20347:2012

**2_PU sole**
extremly light

## INSOLES

**REFLEXOR® MASSAGE**
**active-footbed, replaceable**
art. 3572 anthracite,
art. 3584 white,
for more information see notes on page 105

OB **6809**

OB ESD **36809**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-43 | smooth leather white | lining microfiber, breathable, moisture absorbing | double velcro fastening | replaceable Reflexor® insole (art. 3584) | slip-resistant PU outsole

OB **6819**

OB ESD **36819**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-43 | smooth leather black | lining microfiber, breathable, moisture absorbing | double velcro fastening | replaceable Reflexor® insole (art. 3572) | slip-resistant PU outsole

OB **6813**

OB ESD **36813**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-43 | smooth leather black | lining microfiber, breathable, moisture absorbing | heel strap foldable, adjustable | instep area with elastic band | replaceable Reflexor® insole (art. 3572) | slip-resistant PU outsole

OB **6803**

OB ESD **36803**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-43 | smooth leather white | lining microfiber, moisture absorbing | heel strap foldable, adjustable | instep area with elastic band | replaceable Reflexor® insole (art. 3584) | slip-resistant PU outsole

OB **6874**

OB ESD **36874**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-43 | smooth leather white | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Reflexor® insole (art. 3584) | slip-resistant PU outsole

OB **6872**

OB ESD **36872**

CE, EN ISO 20347:2012 OB, A, E, SRB
Size 36-43 | velours black | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Reflexor® insole (art. 3572) | slip-resistant PU outsole

# SERVICE

NEW

01 ESD

## 300219

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-43 | microfiber black in leather optic | lining mircofiber, breathable, moisture absorbing | instep area with lacing | slip-resistant PU/rubber outsole

NEW

01 ESD

## 300119

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-43 | microfiber black in leather optic | lining mircofiber, breathable, moisture absorbing | instep area with elastic band | slip-resistant PU/rubber outsole

## 3000

Size 34-42 | smooth leather black | instep area with lacing | comfort footbed | heel 45 mm | slip-resistant outsole

## 3081

Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, cushioned | instep area with lacing | integrated Reflexor® massage footbed | slip-resistant outsole

01

## 3030

CE, EN ISO 20347:2012 O1, FO, SRC
Size 36-42 | smooth leather black | lining microfiber, breathable, moisture absorbing | velcro fastening over instep | integrated acc footbed | slip-resistant outsole

## 7401

Size 36-42 | calf leather black | integrated acc footbed | slip-resistant outsole

***TIP***

**ALSO EXCELLENT FOR THE USE IN THE CATERING SECTOR ARE OUR REFLEXOR® COMFORT STYLES ON PAGES 88 - 89.**

# MANAGER




## HIGHLIGHT

- Lining microfiber, breathable, moisture absorbing
- Heel totally composed of leather
- Calf leather
- ESD dissipative

## OUTSOLE

**1_Leather outsole**
ESD compliant according to EN 61340

## 3120

Size 39-47 | calf leather black | lining microfiber, moisture absorbing | top layer microfiber | ESD dissipative leather outsole

## 3110

Size 39-47 | calf leather black | lining microfiber, moisture absorbing | top layer microfiber | ESD dissipative leather outsole

## 3130

Size 39-47 | calf leather black | lining microfiber, moisture absorbing | insole microfiber | ESD dissipative leather outsole

## 3121

Size 39-47 | calf leather brown | lining microfiber, moisture absorbing | insole microfiber | ESD dissipative leather outsole

BUSINESS
LADY

## 3980

Size 36-42 | smooth leather black | lining microfiber, moisture absorbing | instep area with lacing | heel 60 mm | ESD dissipative outsole

## 3990

Size 36-42 | smooth leather black | lining microfiber, moisture absorbing | heel 60 mm | ESD dissipative outsole

## 3940

Size 36-42 | smooth leather black | lining microfiber, moisture absorbing | heel 60 mm | ESD dissipative outsole

## 3920

Size 36-42 | smooth leather black | lining microfiber, moisture absorbing | instep area with elastic band | integrated acc footbed | heel 40 mm

BUSINESS MEN

OB

## 32922

CE, EN ISO 20347:2012 OB, A, SRA
Size 39-47 | smooth leather black | lining microfiber, breathable, moisture absorbing | slip-resistant ESD dissipative TPU outsole

01

## 32430

CE, EN ISO 20347:2012 O1, SRB
Size 40-47 | smooth leather black | lining microfiber, moisture absorbing | insole microfiber | slip-resistant ESD dissipative TPU outsole

01

## 32450

CE, EN ISO 20347:2012 O1, SRB
Size 40-47 | smooth leather black | lining microfiber, moisture absorbing | insole microfiber | slip-resistant ESD dissipative TPU outsole

# CLEAN ROOM

## 3900

Size* Gr. 1 - Gr. 5 | white | upper integrity 1750 antibacterial | artificial leather sole | overshoe with elastic instep

## 3910

Size* Gr. 1 - Gr. 5 | light blue | upper integrity 1750 antibacterial | artificial leather sole | overshoe with elastic instep

*Size:
Gr. 1 = 36-37 | Gr. 2 = 38-39 | Gr. 3 = 40-43 | Gr. 4 = 44-46 | Gr. 5 = 47-48

## individual solutions on request

The special purpose shoe shown here is only an example for individual solutions. Tell us about your requirements and together we will find solutions best suited to meet your demands within a short time. Just give us a call!

OB

## 3620

CE, EN ISO 20347:2012 OB, A, E, SRA
Size 35-47 | microfiber white | fixed gaitor, cleanroom textile, acc Wave insole

AUTO-
CLAVABLE

# AUTOCLAVABLE

## FOR MAXIMUM HYGIENE

Reusable and temperature-stable clothes and equipment are processed by autoclaving to kill all germs and bacteria. This is done mainly in medical areas, microbiological or bio molecular research institutes as well as in the food and pharmacentical industry.

The ABEBA autoclavable clogs may be treated by autoclaving at 135°C 5 min to meet the requirements of the necessary sterilising level. They offer a slip resistant walking sole and are ESD dissipative according to EN 61340.
A foldable heel strap assures stability while standing.

WWW.ABEBA.COM

***ATTENTION***

**TO AVOID ANY DAMAGES OF THE SHOES PLEASE MAKE SURE THEY ARE NOT TOUCHING EACH OTHER DURING THE AUTOCLAVING PROCESS.**

## HIGHLIGHTS

- Autoclavable special material
- Autoclavable at 135°C, 5 min (no additives)

- Washable at 60°C (no additives)

## TECHNOLOGY

**ANTISTATIC/ESD DISSIPATIVE**
according to EN 61340

**HEEL STRAP**
adjustable, foldable

## OUTSOLE

**1_SRC slip resistance**
according to EN ISO 20347:2012

**2_Sole**
abrasion resistant

OB **9600**

OB ESD **39600**

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material white | heel strap foldable, adjustable | autoclavable | slip-resistant outsole

135° 60°

OB **9610**

OB ESD **39610**

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material blue | heel strap foldable, adjustable | autoclavable | slip-resistant outsole

135° 60°

OB **9620**

OB ESD **39620**

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material green | heel strap foldable, adjustable | autoclavable | slip-resistant outsole

135° 60°

OB **9630**

OB ESD **39630**

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material orange | heel strap foldable, adjustable | autoclavable | slip-resistant outsole

135° 60°

## _INFORMATION

***Double sizes:**
Please use size
in bold when placing your order.

35/**36**, 37/**38**, 39/**40**,

41/**42**, 43/**44**, 45/**46**

# INSOLES

## ACC WAVE

replaceable acc Wave insole (air clima comfort) | relieves muscles, ligaments and spine | cushioning over the whole surface | climate regulating and comfortable | Antistatic / ESD dissipative according to EN 61340

| | | |
|---|---|---|
| 3558 »light« | open | Size 35–48 |
| 3559 »light« | closed | Size 35–48 |
| 3574 »Dynamic« | | Size 35–48 |
| 3573 »easy« | | Size 35–48 |
| 3575 »uni6« | | Size 35–48 |

An insole with high wearing comfort. It supports the natural rolling movement of the foot and ensures an equal spreading of the pressure over the whole surface. The cushioning effect of the complete insole relieves muscles, ligaments, joints and the spine. Additionally the insole offers a constant circulation of air inside the shoe which keep your feet cooler and dry.




## SOFT COMFORT INSOLE

Width adjustment, optional insole for „uni6“, „Dynamic“ and „easy“ styles

| | | |
|---|---|---|
| 350112 = M »uni6« | grey | Size 35–48 |
| 350113 = S »uni6« | orange | Size 35–48 |
| 350116 = W »uni6« | blue | Size 35–48 |
| 351012 = M »Dynamic« | grey | Size 35–48 |
| 350912 = M »easy« | grey | Size 35–48 |

**_WIDTH ADJUSTMENT IN S I M I W**



## AIR CUSHION

replaceable insole for shoes with air cushion sole | Antistatic / ESD dissipative according to EN 61340

| | | |
|---|---|---|
| 3551 | grey | Size 35–47 |

## REFLEXOR® MEN

replaceable, microfiber covered „Reflexor®“ footbed | plain surface | Antistatic / ESD dissipative according to EN 61340

| | | |
|---|---|---|
| 3569 | white | Size 40–46 |
| 3570 | anthracite | Size 40–46 |

## REFLEXOR® LADIES

replaceable, microfiber covered „Reflexor®“ footbed | plain surface | Antistatic / ESD dissipative according to EN 61340

| | | |
|---|---|---|
| 3567 | white | Size 36–42 |
| 3568 | anthracite | Size 36–42 |

## REFLEXOR® MASSAGE

replaceable „Reflexor®“ Massage active-footbed | stimulates the blood circulation by massage knobs | orthopaedic footbed | Antistatic / ESD dissipative according to EN 61340

| | | |
|---|---|---|
| 3565 | anthracite | Size 36–42 |
| 3585 | white | Size 36–42 |
| 3566 | anthracite | Size 40–46 |
| 3586 | white | Size 40–46 |
| 3572 »comfort« | anthracite | Size 36–43 |
| 3584 »comfort« | white | Size 36–43 |

# TECHNICAL INFORMATION

| **BASIC REQUIREMENTS** \| EXTRACT | EN ISO 20347 OCCUPATIONAL SHOES | EN ISO 20345 SAFETY SHOES |
|---|---|---|
| anti-slip property (SRA, SRB or SRC) | 0B | SB |
| energy absorption of toe cap | – | 200 joules |
| **ADDITIONAL REQUIREMENTS** | | |
| closed heel area \| antistatic \| energy absorption of heel area | 01 | S1 |
| same as O1 \| plus water penetration and water absorption | 02 | S2 |
| same as O2 \| plus penetration resistance and profiled sole | 03 | S3 |

| **REQUIREMENTS** \| STANDARDS | | 0B | 01 | 02 | 03 | SB | S1 | S2 | S3 |
|---|---|---|---|---|---|---|---|---|---|
| **BASIC REAQUIREMENTS** \| EXTRACT | | | | | | | | | |
| toe protection (200 joules) | | | | | | ● | ● | ● | ● |
| anti-slip property (SRA, SRB or SRC) | | ● | ● | ● | ● | ● | ● | ● | ● |
| **ADDITIONAL REQUIREMENTS** | | | | | | | | | |
| energy absorption of heel area | E | ○ | ● | ● | ● | ○ | ● | ● | ● |
| heat insulation of the outsole | HI | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| cold insulation of the outsole | CI | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| penetration resistance | P | ○ | ○ | ○ | ● | ○ | ○ | ○ | ● |
| antistatic property | A | ○ | ● | ● | ● | ○ | ● | ● | ● |
| **UPPER** | | | | | | | | | |
| fuel resistance | FO | ○ | ○ | ○ | ○ | ○ | ● | ● | ● |

● fulfills requirements

○ requirement may be fulfilled, but is optional

# SLIP RESISTANCE ACCORDING TO EN ISO 20344-20347:2012

In 2004 the standards EN ISO 20344-20347:2004 have been introduced, supplemented in 2007 by appendix A, concerning requests for slip resistance which are now regulated by the latest standards EN ISO 20344-20347:2012.

For testing the slip resistance, the shoe is fixed in different positions in a measuring device and is drawn over various test floorings. The established value is called slip coefficient.

Tests are performed on various flooring materials such as ceramic tiles with SLS and steel floor with glycerol. Depending on the result of the tested shoe on ceramic tiles or steel floor or even on both, the slip resistance is classified into SRA, SRB or SRC. In standard EN ISO 13287:2007, replacing DIN 4843 part 100 earlier used in Germany, the testing processes are described in detail.

For more information please contact any authorised test and certification institute.

# TECHNOLOGY

| | **SLIP RESISTANCE** EN ISO 20344-20347:2012 |
|---|---|
| **SRA** | Slip resistance on floors with ceramic tiles with SLS (sodium lauryl ether sulfate solution) |
| **SRB** | Slip resistance on steel floor with glycerol |
| **SRC** | Slip resistance on floor with ceramic tiles with SLS and on steel floor with glycerol (SRC=SRA+SRB) |

# TECHNICAL INFORMATION

## micro

micro is an innovative high-tech material which is especially water-resistant and breathable. It even surpasses hydrophobic leather. It is washable up to 30°C without shrinking and anti-bacterial, which is making it perfect for the use in hygienic sensitive areas. Additionally it can be equipped with various treatments such as silver ions. Due to its special structure it is light and smooth but at the same time very tearproof and resistant. micro replicates leather visually without turning yellow due to direct sunlight.

## LINING WITH SILVER IONS

Garments treated with silver ions offer a special antibacterial effect. Due to this catalytic characteristic germs and bacteria are reduced as well as odors inside the shoe. This lining is breathable feels smooth.

## LINING COMFORTEMP®

Innovative mPCM-Technology developed by Freudenberg (micro-encapsulated Phase Change Material - micro-capsules equalizing temperature, bedded in non-woven materials).

- When body-temperature increases the micro-capsules change their physical state and become liquid for a cooling effect. The decrease of body temperature makes them turn back to solid for a warming effect.
- Excellent breathability and ideal transport of humidity provoke a comfortable, dry sensation.
- No matter if you are at work, doing sports or in your free time Comfortemp® provides you with your personal climate-balance.

## MICROFIBER LINING

This material is a new breathable high-tech microfiber lining with an absorption capacity of 8 times its weight in water. It offers a maximum comfort and a complete dryness for a perfect foot climate.

- Absorbs moisture and desorbs it to the outside
- Breathable - antimicrobial - odor avoiding
- Temperature regulating
- Anti-allergy
- $CO_2$ neutral production
- Free of pollutants
- Odourless and tearproof

The microfibre linings that we use in our shoes are certified by OEKO-TEX® STANDARD 100 which is an independent, extensive testing and certification system. In the course of the certification all components of the tested products have been reviewed for different kinds of noxious substances, most of the time even beyond the legal guidelines.

Depending on how sensitive the skin is and how much a product is in contact with skin, OEKO-TEX® will adjust the specifications of its testing to be either strict or more lenient. According to the certificate our linings could thus be used for babies and small children, too.

# INDEX

| Art.-No. | Page | Size | Series | Description | Standard | Marking | Insole |
|---|---|---|---|---|---|---|---|
| 1064 | 85 | 36 - 42 | Reflexor | clog, fixed heel strap | antistatic | | - |
| 1092 | 85 | 36 - 42 | Reflexor | mule | antistatic | | - |
| 1094 | 85 | 36 - 42 | Reflexor | mule | antistatic | | - |
| 1120 | 64 | 35 - 48 | light | low shoe, velcro | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 1126 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1127 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1128 | 66 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1129 | 66 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1130 | 62 | 35 - 48 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 1131 | 63 | 35 - 48 | light | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 1132 | 65 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1133 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1135 | 62 | 35 - 48 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 1136 | 63 | 35 - 48 | light | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 1137 | 65 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1138 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1141 | 62 | 35 - 48 | light | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 1142 | 62 | 35 - 48 | light | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 1151 | 65 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 1158 | 64 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 1160 | 63 | 35 - 43 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 1163 | 63 | 35 - 43 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 2370 | 59 | 35 - 47 | air cushion | slip-on | CE, EN ISO 20347 | O1, SRA | - |
| 2600 | 59 | 35 - 47 | air cushion | lace-up shoe | CE, EN ISO 20347 | O2, SRA | 3551 |
| 2610 | 59 | 35 - 47 | air cushion | lace-up shoe | CE, EN ISO 20347 | O2, SRA | 3551 |
| 2650 | 59 | 35 - 47 | air cushion | lace-up shoe | CE, EN ISO 20347 | O2, SRA | 3551 |
| 2700 | 58 | 39 - 47 | air cushion | slip-on | CE, EN ISO 20347 | O2, SRA | 3551 |
| 2710 | 58 | 39 - 47 | air cushion | slip-on | CE, EN ISO 20347 | O2, SRA | 3551 |
| 3000 | 91 | 34 - 42 | Manager | service shoe | CE | | - |
| 3030 | 91 | 36 - 42 | Service | service shoe | CE, EN ISO 20347 | O1, FO, SRC | - |
| 3081 | 91 | 36 - 42 | Service | sandal | | | - |
| 3110 | 93 | 39 - 47 | Manager | lace-up shoe | | | - |
| 3120 | 93 | 39 - 47 | Manager | lace-up shoe | | | - |
| 3121 | 93 | 39 - 47 | Manager | lace-up shoe | | | - |
| 3130 | 93 | 39 - 47 | Manager | lace-up shoe | | | - |
| 3620 | 99 | 35 - 47 | Clean room | boot | CE, EN ISO 20347 | OB, A, E, SRA | - |
| 3900 | 99 | 36 - 48 | Clean room | overshoe | | | - |
| 3910 | 99 | 36 - 48 | Clean room | overshoe | | | - |
| 3920 | 95 | 36 - 42 | Business Lady | trotteur | | | - |
| 3940 | 95 | 36 - 42 | Business Lady | pumps | ESD dissipative | | - |
| 3980 | 95 | 36 - 42 | Business Lady | pumps | ESD dissipative | | - |
| 3990 | 95 | 36 - 42 | Business Lady | pumps | ESD dissipative | | - |
| 4040 | 54 | 34 - 48 | Nature | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 4045 | 54 | 34 - 48 | Nature | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 4050 | 54 | 34 - 48 | Nature | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 4055 | 54 | 34 - 48 | Nature | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 4080 | 55 | 34 - 48 | Nature | mule | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 4085 | 55 | 34 - 48 | Nature | mule | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 4086 | 55 | 34 - 48 | Nature | mule | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 4090 | 55 | 34 - 48 | Nature | sandal | CE, EN ISO 20347 | OB, A, FO, SRC | - |

| Art.-No. | Page | Size | Series | Description | Standard | Marking | Insole |
|---|---|---|---|---|---|---|---|
| 4096 | 55 | 34 - 48 | Nature | sandal | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 5001 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 5004 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 5007 | 21 | 35 - 47 | The Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 5008 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 5009 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 5013 | 20 | 35 - 47 | The Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 5080 | 21 | 35 - 43 | The Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 5081 | 20 | 35 - 43 | The Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 5100 | 44 | 36 - 47 | Rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 5150 | 44 | 36 - 47 | Rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 5200 | 42 | 36 - 47 | Rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 5250 | 42 | 36 - 47 | Rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 5300 | 43 | 36 - 47 | Rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 5310 | 43 | 36 - 47 | Rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 5700 | 82 | 40 - 46 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3586/ 3569 |
| 5710 | 82 | 40 - 46 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3566/ 3570 |
| 6610 | 85 | 36 - 42 | Reflexor | sandal | | | - |
| 6701 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6721 | 78 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 3575 |
| 6724 | 70 | 35 - 43 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6728 | 70 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6729 | 70 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6731 | 78 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6740 | 73 | 35 - 48 | Uni6 | slip-on | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6741 | 73 | 35 - 48 | Uni6 | slip-on | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6750 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6751 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6760 | 74 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6761 | 74 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6762 | 75 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6763 | 75 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6766 | 71 | 35 - 43 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6771 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6772 | 71 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6773 | 71 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6780 | 76 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6781 | 76 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6782 | 77 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6783 | 77 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6785 | 77 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 6795 | 72 | 35 - 48 | Uni6 | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6796 | 72 | 35 - 48 | Uni6 | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 6803 | 88 | 36 - 43 | Reflexor Comfort | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3584 |
| 6809 | 88 | 36 - 43 | Reflexor Comfort | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3584 |
| 6813 | 88 | 36 - 43 | Reflexor Comfort | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3572 |
| 6819 | 88 | 36 - 43 | Reflexor Comfort | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3572 |
| 6872 | 89 | 36 - 43 | Reflexor Comfort | sandal | CE, EN ISO 20347 | OB, A, E, SRB | 3572 |
| 6874 | 89 | 36 - 43 | Reflexor Comfort | sandal | CE, EN ISO 20347 | OB, A, E, SRB | 3584 |
| 6900 | 84 | 36 - 42 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3585/ 3567 |

| Art.-No. | Page | Size | Series | Description | Standard | Marking | Insole |
|---|---|---|---|---|---|---|---|
| 6902 | 83 | 36 - 42 | Reflexor | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3585/ 3567 |
| 6903 | 84 | 36 - 42 | Reflexor | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3585/ 3567 |
| 6910 | 84 | 36 - 42 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3565/ 3568 |
| 6912 | 83 | 36 - 42 | Reflexor | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3565/ 3568 |
| 6913 | 84 | 36 - 42 | Reflexor | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3565/ 3568 |
| 7001 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7002 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7008 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7009 | 25 | 36 - 42 | high Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7020 | 19 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7021 | 18 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7030 | 19 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7031 | 18 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7050 | 22 | 35 - 47 | the Original | clog | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7080 | 21 | 35 - 43 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7081 | 20 | 35 - 43 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7090 | 21 | 35 - 43 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7091 | 20 | 35 - 43 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7201 | 22 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 7204 | 18 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7205 | 19 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, FO, SRC | - |
| 7208 | 23 | 35 - 47 | the Original | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 7209 | 23 | 35 - 47 | the Original | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 7310 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7312 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7313 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7315 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7320 | 31 | 35 - 43 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7325 | 31 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7331 | 32 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7332 | 32 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7335 | 32 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7341 | 33 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7342 | 33 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7345 | 33 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7360 | 34 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7361 | 34 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7362 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7363 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7365 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7366 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 7401 | 91 | 36 - 42 | Service | slip-on | | | - |
| 7520 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7521 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7530 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7531 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 7620 | 38 | 35 - 43 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 7621 | 38 | 35 - 43 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 7622 | 39 | 35 - 48 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |

| Art.-No. | Page | Size | Series | Description | Standard | Marking | Insole |
|---|---|---|---|---|---|---|---|
| 7623 | 39 | 35 - 43 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 7630 | 38 | 35 - 48 | easy | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 7631 | 38 | 35 - 48 | easy | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 8040 | 54 | 34 - 48 | Nature | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 8045 | 54 | 34 - 48 | Nature | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 8200 | 50 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8202 | 50 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8210 | 50 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8212 | 50 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8300 | 49 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8302 | 49 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8310 | 49 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8312 | 49 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8320 | 48 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8322 | 48 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8330 | 48 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8332 | 48 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8400 | 51 | 36 - 47 | Arrow | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8600 | 51 | 36 - 47 | Arrow | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 8602 | 51 | 48 - 51 | Arrow | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 9100 | 44 | 36 - 47 | rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 9110 | 44 | 36 - 47 | rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 9150 | 44 | 36 - 47 | rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 9200 | 42 | 36 - 46 | rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 9250 | 42 | 36 - 47 | rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 9252 | 42 | 36 - 47 | rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 9300 | 43 | 36 - 47 | rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 9310 | 43 | 36 - 47 | rubber | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRC | - |
| 9600 | 102 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 9610 | 102 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 9620 | 103 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 9630 | 103 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 31064 | 85 | 36 - 42 | Reflexor | clog, fixed heel strap | ESD dissipative | | - |
| 31092 | 85 | 36 - 42 | Reflexor | mule | ESD dissipative | | - |
| 31094 | 85 | 36 - 42 | Reflexor | mule | ESD dissipative | | - |
| 31120 | 64 | 35 - 48 | light | low shoe, velcro | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 31126 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31127 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31128 | 66 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31129 | 66 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31130 | 62 | 35 - 48 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 31131 | 63 | 35 - 48 | light | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 31132 | 65 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31133 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31135 | 62 | 35 - 48 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 31136 | 63 | 35 - 48 | light | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 31137 | 65 | 35 - 48 | light | slip-on | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31138 | 67 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31141 | 62 | 35 - 48 | light | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |

| Art.-No. | Page | Size | Series | Description | Standard | Marking | Insole |
|---|---|---|---|---|---|---|---|
| 31142 | 62 | 35 - 48 | light | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 31151 | 65 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRA | 3559 |
| 31158 | 64 | 35 - 48 | light | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRA | 3559 |
| 31160 | 63 | 35 - 43 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 31163 | 63 | 35 - 43 | light | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRA | 3558 |
| 32300 | 58 | 35 - 47 | air cushion | slip-on, perforiert | CE, EN ISO 20347 | O1, SRA | 3551 |
| 32310 | 58 | 39 - 47 | air cushion | slip-on, perforiert | CE, EN ISO 20347 | O1, SRA | 3551 |
| 32370 | 59 | 35 - 47 | air cushion | slip-on | CE, EN ISO 20347 | O1, SRA | - |
| 32430 | 97 | 40 - 47 | Business men | lace-up shoe | CE, EN ISO 20347 | O1, SRB | - |
| 32450 | 97 | 40 - 47 | Business men | lace-up shoe | CE, EN ISO 20347 | O1, SRB | - |
| 32600 | 59 | 35 - 47 | air cushion | lace-up shoe | CE, EN ISO 20347 | O2, SRA | 3551 |
| 32610 | 59 | 35 - 47 | air cushion | lace-up shoe | CE, EN ISO 20347 | O2, SRA | 3551 |
| 32650 | 59 | 35 - 47 | air cushion | lace-up shoe | CE, EN ISO 20347 | O2, SRA | 3551 |
| 32700 | 58 | 39 - 47 | air cushion | slip-on | CE, EN ISO 20347 | O2, SRA | 3551 |
| 32710 | 58 | 39 - 47 | air cushion | slip-on | CE, EN ISO 20347 | O2, SRA | 3551 |
| 32922 | 97 | 39 - 47 | Business men | lace-up shoe | | OB, A, SRA | - |
| 35600 | 50 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 35602 | 50 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 35700 | 82 | 40 - 46 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3586/ 3569 |
| 35710 | 82 | 40 - 46 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3566/ 3570 |
| 36610 | 85 | 36 - 42 | Reflexor | sandal | | | - |
| 36701 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36721 | 78 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36724 | 70 | 35 - 43 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36728 | 70 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36729 | 70 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36731 | 78 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36740 | 73 | 35 - 48 | Uni6 | slip-on | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36741 | 73 | 35 - 48 | Uni6 | slip-on | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36750 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36751 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36760 | 74 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36761 | 74 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36762 | 75 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36763 | 75 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36766 | 71 | 35 - 43 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36771 | 79 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36772 | 71 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36773 | 71 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36780 | 76 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36781 | 76 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36782 | 77 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36783 | 77 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36785 | 77 | 35 - 48 | Uni6 | lace-up shoe | CE, EN ISO 20347 | O2, FO, SRC | 350112 |
| 36795 | 72 | 35 - 48 | Uni6 | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36796 | 72 | 35 - 48 | Uni6 | sandal, velcro | CE, EN ISO 20347 | O1, FO, SRC | 350112 |
| 36803 | 88 | 36 - 43 | Reflexor Comfort | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3584 |
| 36809 | 88 | 36 - 43 | Reflexor Comfort | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3584 |

| Art.-No. | Page | Size | Series | Description | Standard | Marking | Insole |
|---|---|---|---|---|---|---|---|
| 36813 | 88 | 36 - 43 | Reflexor Comfort | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3572 |
| 36819 | 88 | 36 - 43 | Reflexor Comfort | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3572 |
| 36872 | 89 | 36 - 43 | Reflexor Comfort | sandal | CE, EN ISO 20347 | OB, A, E, SRB | 3572 |
| 36874 | 89 | 36 - 43 | Reflexor Comfort | sandal | CE, EN ISO 20347 | OB, A, E, SRB | 3584 |
| 36900 | 84 | 36 - 42 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3585/ 3567 |
| 36902 | 83 | 36 - 42 | Reflexor | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3585/ 3567 |
| 36903 | 84 | 36 - 42 | Reflexor | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3585/ 3567 |
| 36910 | 84 | 36 - 42 | Reflexor | lace-up shoe | CE, EN ISO 20347 | O1, SRB | 3565/3568 |
| 36912 | 83 | 36 - 42 | Reflexor | mule | CE, EN ISO 20347 | OB, A, E, SRB | 3565/ 3568 |
| 36913 | 84 | 36 - 42 | Reflexor | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, SRB | 3565/ 3568 |
| 37310 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37312 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37313 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37315 | 30 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37320 | 31 | 35 - 43 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37325 | 31 | 35 - 48 | Dynamic | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37331 | 32 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37332 | 32 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37333 | 32 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37335 | 32 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37341 | 33 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37342 | 33 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37343 | 33 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37345 | 33 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37360 | 34 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37361 | 34 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37362 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37363 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37365 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37366 | 35 | 35 - 48 | Dynamic | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3574 |
| 37520 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 37521 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 37530 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 37531 | 27 | 36 - 42 | the Original plus | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | - |
| 37620 | 38 | 35 - 43 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 37621 | 38 | 35 - 43 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 37622 | 39 | 35 - 48 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 37623 | 39 | 35 - 43 | easy | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 37630 | 38 | 35 - 48 | easy | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 37631 | 38 | 35 - 48 | easy | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, E, FO, SRC | 3573 |
| 38200 | 50 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38202 | 50 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38210 | 50 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38212 | 50 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38300 | 49 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38302 | 49 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38310 | 49 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38312 | 49 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |

| Art.-No. | Page | Size | Series | Description | Standard | Marking | Insole |
|---|---|---|---|---|---|---|---|
| 38320 | 48 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38322 | 48 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38330 | 48 | 36 - 47 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38332 | 48 | 48 - 51 | Arrow | clog, foldable heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38400 | 51 | 36 - 47 | Arrow | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38600 | 51 | 36 - 47 | Arrow | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 38602 | 51 | 48 - 51 | Arrow | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, SRA | - |
| 39600 | 102 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 39610 | 102 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 39620 | 103 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 39630 | 103 | 35 - 46 | autoclavable | clog | CE, EN ISO 20347 | OB, A, E, SRC | - |
| 77020 | 17 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, E, FO, SRC | - |
| 77021 | 16 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, E, FO, SRC | - |
| 77030 | 17 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, E, FO, SRC | - |
| 77031 | 16 | 35 - 47 | the Original | clog, foldable heel strap | CE, EN ISO 20347 | OB, E, FO, SRC | - |
| 970111 | 45 | 36 - 47 | Rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 970119 | 45 | 36 - 47 | Rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 3970111 | 45 | 36 - 47 | Rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |
| 3970119 | 45 | 36 - 47 | Rubber | clog, fixed heel strap | CE, EN ISO 20347 | OB, A, FO, WRU, SRC | - |

All insoles can be found on pages 104/105.

## Icons

ESD

METAL FREE

SUITABLE FOR KITCHENS

REPLACEABLE INSOLE

BREATHABLE TEXTILE

HEEL AND FOOT LIFT

WASHABLE AT 30° C

WASHABLE AT 60° C

AUTOCLAVABLE

HACCP-COMPLIANT

IDENTIFICATION ACCORDING TO STANDARD

## Size comparison table

| D Mondo-point RS mm | D/ F paris point | GB english size | USA women | USA men |
|---|---|---|---|---|
| 210 | 34 | 2 | 3,5 | 2,5 |
| 217 | 35 | 2,5 | 4,0 | 3,0 |
| 225 | 36 | 3,5 | 5,0 | 4,0 |
| 232 | 37 | 4 | 6,0 | 4,5 |
| 240 | 38 | 5 | 6,5 | 5,5 |
| 247 | 39 | 6 | 7,5 | 6,0 |
| 255 | 40 | 6,5 | 8,0 | 7,0 |
| 262 | 41 | 7,5 | 9,0 | 7,5 |
| 270 | 42 | 8 | 9,5 | 8,5 |
| 277 | 43 | 9 | 10,5 | 9,5 |
| 285 | 44 | 9,5 | 11,5 | 10,0 |
| 292 | 45 | 10,5 | 12,0 | 11,0 |
| 300 | 46 | 11,5 | 13,0 | 11,5 |
| 307 | 47 | 12 | 13,5 | 12,5 |
| 315 | 48 | 13 | 14,5 | 13,0 |

**WWW.ABEBA.COM**

# NOTES

Your ABEBA distributor:

Our sales documents are also available in German and French. Printed on environmentally friendly paper. September 2018 - Version 3
We reserve the right to modify models, colours and technical details as well as the right to make a compensation or subsequent delivery.